

# PALTZ.

## 17CS

Integrated palletizing work cell

- skewed conveyor
- safety devices



The simplest, most easy-to-use palletizing solution on the market.


# PALTZ.17CS

## No, no, no.

*No programming, no calibration, no technical skills.*

### Specifications


- Capacity 18 kg
- Two palletizing zones
- Pallet size up to 48in. x 48in.
- Pallet locators with sensors
- Infeed skewed conveyor
- Product presence sensor
- Pneumatic or electric gripper
- Palletizing software
- 13'' touch screen HMI
- Painted steel structure
- Painted steel transfer plate 1/2"
- Pneumatic kit (F+R 3/8" or 8mm)
- Five (5) area scanners
- External reset button



Automatic pallet




Automatic pallet pattern generator






Mobile to secured in less than a minute

### Dimensions



Secured zone



Palletizing made simple.




## Box

- Case dimensions
- Case weight
- Label position




## Pallet

- Pallet dimensions
- Max. stacked pallet weight
- Max. stacked pallet height
- Number of layers




## Layout

- **\*UNIQUE\***
- Automatic pallet pattern generator or Manual case positioning



## Stack

- Layers configuration
- Straight or alternate pattern
- Slipsheet positioning



# PALTZ

Let's work together.

[info@optamate.com](mailto:info@optamate.com)

317-342-6729



[optamate.com](http://optamate.com)